

# Lighting interconnect solutions



**SOURIAU - SUNBANK**  
Connection Technologies

SOURIAU EXPERTISE & INDUSTRIAL EXCELLENCE

POWER DELIVERY & CONTROL (DMX AND RDM) OF LED EQUIPMENT

ENTERTAINMENT SOLUTIONS

OUTDOOR WATERPROOF LIGHTING

FIELD INSTALLATION

UL & IEC STANDARDS

COMPLETE INTERCONNECT SOLUTIONS

CUSTOM SOLUTIONS

WORLDWIDE AVAILABILITY



**SOURIAU values**

**QUALITY & EXPERTISE**

**TURNKEY SOLUTION**

**UL/IEC COMPLIANT**



## SOURIAU in the Lighting Market

**SOURIAU** is a leading provider of interconnect solutions designed to meet UL, IEC and international LED and luminaire safety standards. We are a unique company that offers flexibility, collaborative approach, strong commitment to meeting our customers design, engineering, and manufacturing needs when bringing new products to market. For these reasons, **SOURIAU** has been the chosen interconnect provider for a variety of customers leading the market with innovative lighting products servicing a diversity of applications.

We offer both standardized and customized products to support your design and development needs. Our connectors provide reliability in all outdoor, indoor and industrial environments and can resist intense UV exposure or withstand demanding waterproof and full immersion applications.

In addition, we can provide overmolded cable assemblies. We can configure both leader and jumper cable assemblies to offer our customers a turnkey solution for a quick, reliable and secure installation.



## Terminating Resistor

IP68/69K

120 Ohms resistance  
DMX, RDM and  
RS-485 compatible



# Power delivery & control (DMX and RDM) of LED equipment

Color management system (DMX/DALI) thanks to a mixed power and signal layout in one waterproof design.



## UTL Series

3 contacts #16 for power delivery  
3 or 5 contacts #20 for twisted pairs + braid  
Push and press to release  
DMX, RDM and RS-485 compatible  
IP68/69K  
Blind mateable





## UTL

4, 6 or 8 contacts

16A 500V

Push and press to release

coupling system

IP68/69K

Current Beaking Capacity

(CBC function)



## Entertainment solutions

Ruggedized solutions for stage lighting, dimmers, audio and consoles.



### UTS

From 2 to 32 contacts

-40°C to 105°C

IP68/69K



### UTO

3 to 61 contacts #16

-40°C to 105°C

IP68/69K



**UTL**

4 to 8 contacts  
-40°C to 105°C  
IP68/69K





# Outdoor waterproof lighting

Adapted solution for underwater lighting application.



## UTS Hi Seal

2 to 32 contacts

-40°C to 105°C

**IP68/69K including unmated conditions**

## UTS Standard

3 to 32 contacts

-40°C to 105°C

**IP68/69K mated with standard contacts**





## **UTS Screw Termination**

Screw termination contacts  
with backshell  
Bayonet coupling  
Audible confirmation of  
connection



## Field installation

No specific tool required, screw contacts and field mounting backshell by clip for UTL145 or by screwing for UTL103G1.



### UTL Screw Termination

5 contacts #16

Screw termination contacts with backshell

Key shape

Push & press to release coupling with backshell

Audible confirmation of connection

Blind mateable



**UTS Standard  
and customized  
overmolded  
solution**

UL 1977 & IEC 61984  
compliant  
IP68/69K  
F1 material according to  
UL 746C



## UL & IEC standards

Compliance with IEC 60598, IEC 61984 and UL 1598, UL 61984.



### UTS

2 to 32 contacts #20, 16, 12, 8  
UL 1977 & IEC 61984 compliant  
IP68/69K  
F1 material according to UL 746C



### UTL

4 to 8 contacts #20, 16  
UL 1977 & IEC 61984 compliant  
Current Breaking Capacity (CBC function)  
F1 material according to UL 746C



## UTS

2 to 32 contacts

Bayonet coupling

IP68/69K

Ethernet compatible

Sealed in unmated condition

also available



## Complete interconnect solutions

Leader and jumper overmold cable assemblies for LED bars.



### Overmold Cable Assembly Series

Up to 32 contacts

IP68/69K

Straight or Right Angle Overmold Design

H07RNF, SJ0W or hybrid DMX cables



## UTL

4, 6 or 8 contacts  
3 contacts #16 for  
power delivery  
3 or 5 contacts #20  
for twisted pairs + braid  
Push and press to release  
DMX, RS-485 compatible  
IP68/69K





## Custom solutions

Custom overmold with specific design and splitter for signal distribution.

A certification can be done for all major high speed protocols: CAT 5, 5E, 6, RS 485. In addition we are able to test the interconnect solutions according to custom vibration profile, temperature range or dedicated flexing and sealing requirements.



Contact us for assistance with custom needs.

# Our differentiators

## ■ QUALITY & EXPERTISE

Decades of know-how and expertise have allowed SOURIAU to become a partner to leading worldwide lighting equipment manufacturers.

SOURIAU proposes high performance connectors: waterproof, UV resistance, mixed power and signal and quick and audible connections are one of the benefits of SOURIAU connectors.

## ■ COMPLETE INTERCONNECT SOLUTION

From T-Junction to overmold cable assemblies and connectors, SOURIAU offers a complete turnkey solution.

## ■ ENVIRONMENT & SAFETY

Compliance to international standards UL, IEC, RoHS, REACH..



# SOURIAU: A high service level

Worldwide availability: A global network with local presence to serve our customers



WORLDWIDE AVAILABILITY



# SOURIAU - SUNBANK

Connection Technologies

Reliable People, Reliable Solutions

[www.souriau.com](http://www.souriau.com)

